

SplitThreader: A graphical algorithm for analysis of highly rearranged and amplified cancer genomes

Maria Nattestad


Mike Schatz lab

Cold Spring Harbor Laboratory and Johns Hopkins University




Complex genome to study: SK-BR-3

Most commonly used Her2-amplified breast cancer cell line




Often used for pre-clinical research on Her2-targeting therapeutics such as Herceptin (Trastuzumab) and resistance to these therapies.

(Davidson et al, 2000)




Why SplitThreader Evolution?




661 structural variants called by Sniffles

Her2




8 Mb

Her2




Her2






Can we infer the order of events?




Let's apply parsimony to a toy example


Copy number:




Variants:





Good: Most parsimonious





Less parsimonious





Variant 1 evolving twice is highly unlikely




SplitThreader: Building the graph



SplitThreader Evolution





Chr 17

Chr 8


1. Healthy chromosome 17
2. Translocation into chromosome 8
3. Translocation within chromosome 8
4. Complex variant and inverted duplication within chromosome 8
5. Translocation within chromosome 8

SplitThreader Evolution infers the complex history of this region for the first time


SplitThreader Fusion

- Found candidate fusions using IsoSeq (PacBio's RNA-seq)
 - 3 million reads, mean 3.5 kb read length
- Use SplitThreader to look for DNA evidence
 - 16 gene fusions with a direct link in the DNA
 - 6 gene fusions each of which is created by threading through 2 variants

SplitThreader Fusion: CYTH1-EIF3H example




SplitThreader Fusion: CYTH1-EIF3H




Criteria	Red path	Green path
Sense-sense stranded	No	Yes
Fewer variants	2	2
More split read DNA evidence	40, 11	27, 36
Shorter transcript (threshold < 1Mb)	1.1 Mb	164 kb


SplitThreader Fusion: CYTH1-EIF3H results




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer




SplitThreader Visualizer



SplitThreader Visualizer



SplitThreader Visualizer





SplitThreader




Explain oncogene amplifications

SplitThreader Evolution




Trace gene fusions

SplitThreader Fusion



qb.cshl.edu/splithreader

Explore the genome
SplitThreader Visualizer



Acknowledgments



Cold
Spring
Harbor
Laboratory

Sara Goodwin
Fritz Sedlazeck
Philipp Rescheneder
Marley Alford
Timour Baslan
Tyler Garvin
Han Fang
James Gurtowski
Elizabeth Hutton
Melissa Kramer
Eric Antoniou
James Hicks
W. Richard McCombie
Michael Schatz



Karen Ng
Timothy Beck
Yogi Sundaravadanam
John McPherson



Elizabeth Tseng
Jason Chin

